



Managed by  Duke Clinical & Translational Science Institute

The MURDOCK Study Community Registry and Biorepository is a 12,526-participant community-based longitudinal cohort recruited from a 20-Zip Code region in the Southeastern United States (U.S.) that is centered in the city of Kannapolis, NC and encompasses Cabarrus County, NC.

Creation of the cohort was funded by a gift to Duke University from the David H. Murdock Institute for Business and Culture, with operational support from Duke's Clinical and Translational Science Award (CTSA) grant (UL1TR002553) and the Duke Clinical and Translational Science Institute (CTS).

Consenting participants complete a baseline health questionnaire at enrollment, as well as a brief physical exam and collection of blood and urine. Consent includes permission to access to information from medical records, storage of collected samples in the biorepository, access to collected data and biospecimens for future approved research studies and contact regarding new research study opportunities.

Data have been organized into "storefronts" that summarize characteristics of a population of research interest as well as available data and samples for that population. The following sections summarize the sources of data in the MURDOCK Study database, as well as important descriptions and definitions to help understand the data presented in the "storefronts".

1 Participant self-reported data at baseline. The baseline questionnaire collects contact information, current residential street address, and primary physician; alternate contact information; date and place of birth; demographics; current or past diagnosis of 34 medical conditions; menopausal status in women; medications, vitamins and supplements; dietary and physical activity assessment; hours of sleep per night; tobacco and alcohol use; second-hand smoke exposure; and selected PROMIS® participant-reported outcomes domains. Socioeconomic data collected at baseline included marital status, highest level of education of participant and participant's mother and father, employment status, mother's and father's occupations, housing (type, how paid for, number of adults and children in the household) and total household income. In addition, a brief physical exam (vital signs, height, weight, and waist circumference) was conducted at enrollment.

Medical conditions: "Do you have, or have you ever had, any of the following [medical conditions]?" (yes, no, don't know). Counts are unique participants reporting yes to specific condition. **Medications:** "Please list any pharmaceutical and/or natural medications (including vitamins) that you are currently taking." Data are captured in free-text format as written by the participant and coded using RxNorm. Summary metrics are based on everything reported. Top 5 reported medications are limited to reported prescriptions.

2 Biorepository samples. Blood was collected at baseline and processed into the following specific samples: whole blood in EDTA for DNA extraction, whole blood in PAXgene for RNA extraction, plasma, serum and buffy coat in cryovials. Urine was collected and aliquoted in cryovials. Serial sample collection was not done systematically for MURDOCK enrollees; however, some nested sub cohorts and other studies enrolling MURDOCK registry participants include sample collection at follow up time points. All samples are stored at -80°C in a central biorepository current managed by Fisher BioServices, a division of Thermo Fisher Scientific, under a contractual agreement with Duke University.

Samples in inventory: Data are summarized by sample type as well as specific container and size. Participant counts are unique individuals with one or more aliquots. Aliquot counts are all unique samples for a given type and container, size. Freezers is a calculation of approximate storage requirements based on sample type/size, box size, and number of boxes that can be stored per freezer.

3 Participant self-reported changes in health via annual follow up. Participants are asked to complete a follow-up form once a year around the time of their original enrollment date. Participants may update contact information, primary care physician/practice and alternate contact. PROMIS domains are repeated at each annual time point in order to capture changes in participant-reported outcomes over time. The form collects new incidence/diagnosis of the same 34 medical conditions surveyed at baseline. Hospitalizations during the past year are collected along with reason, as well as specific medical procedures. Participants may update their medication list to reflect current medications, vitamins and supplements being taken at the time of follow up form completion.

Vital status: Death reported by family member or alternate contact is confirmed by obituary as the primary source. Cause of death is not captured. **Follow-up metrics:** Follow-up is defined as complete if participant fills out the survey online or by mail or phone. Completeness is measured as surveys completed relative to years eligible to complete follow-up. **Medical conditions:** "Please indicate if you have received a **new** diagnosis of any of the following medical conditions **in the past year** (yes, no, don't know)". Counts and percentages are unique participants reporting yes to specific condition in follow-up for participants that did NOT report yes at baseline. **Procedures:** "Please indicate if you have any of the following medical procedures **in the past year**". Counts are unique participants reporting the specified procedure one or more times during follow up. **Hospitalizations:** Participants are asked to report if they have been hospitalized **within the last year**, for each hospitalization they are asked to list reason(s) for hospitalization, admission date and hospital name. Reasons for hospitalization are captured as free-text responses as written by participants. Responses are coded, when possible, in order to list the most frequently reported reasons for hospitalization. **Medications:** (see note above for medications reported at baseline). The denominator for data based on last follow-up are participants with at least one follow-up survey complete.

4 Electronic health record (EHR) data from regional healthcare providers. Duke has partnered with regional healthcare providers to integrate data from EHR systems for consented MURDOCK Study participants. Participants are identified in EHR systems with robust matching algorithms using common identifiers from the MURDOCK and EHR databases. Data are transferred under a data use agreement (DUA) with the specific provider organization which specifies the scope of data and frequency of transfers. Data availability vary by participant and depend on whether or not a participant has had one or more encounters with the healthcare provider system during the time period included in the dataset.

Available EHR datasets: Data are summarized by healthcare provider organizations. Counts are unique participants with one or more ICD codes in the EHR dataset. **Available EHR domains:** Data area summarized by domain in the EHR dataset. Counts are unique participants with one or more records (rows of data) for the specified domain. **Insights from available EHR data:** Specific EHR data related to the population of research interest is presented with granularity when possible.

5 Additional data collection from studies with MURDOCK participants. MURDOCK Study participants may be recruited to enroll in additional research study opportunities by Duke researchers or other collaborators. Data sharing is a condition of collaboration with with the MURDOCK Study; therefore, data collected from MURDOCK Study participants and/or generated from biospecimens as part of additional research studies is returned for integration with all other MURDOCK registry data.

"Storefronts" for nested sub-cohorts summarize surveys, assessments and/or other data collected specifically as part of enrollment and participation in the study. **Samples in inventory:** Samples are summarized if collected (see note above for samples collected at baseline). **Participation in other studies:** Counts are participants from the population of research interest enrolled in the specified study listed. *Brief descriptions of relevant studies are listed along with a summary of study procedures and/or data collected.*

MURDOCK Study participants with hypertension, N=6,055

Participant self-reported characteristics at MURDOCK Study enrollment (baseline, February 2009 - March 2018)

Demographics at baseline

Age	Baseline
Median (25 th , 75 th)	60 (49, 68)
Min, Max	<18, 90+

Sex	Baseline
Female	3,802 (63%)
Male	2,253 (37%)

Race	Baseline
American Indian & Alaska Native	29 (<1%)
Asian	20 (<1%)
Black or African American	1,053 (17%)
Native Hawaiian & Other Pacific Islander	4 (<1%)
White/Caucasian	4,398 (73%)
Other	386 (6%)
Multiple	108 (2%)
Don't know/Not sure/Not answered	56 (1%)

Ethnicity	Baseline
Hispanic or Latino	528 (9%)
Non-Hispanic or Latino	5,429 (90%)
Don't know/Not sure/Not answered	98 (2%)

Smoking history at baseline

Smoked	2,759 (46%)
Never smoked	3,243 (54%)
Don't know, no response	53 (1%)

Current or prior medical conditions reported at baseline

25 of 34 solicited medical conditions, listed by descending frequency

High blood pressure	4,644 (77%)
High cholesterol	3,326 (55%)
Obesity	2,207 (36%)
Depression	1,650 (27%)
Diabetes	1,506 (25%)
Osteoarthritis	1,465 (24%)
Thyroid disease	897 (15%)
Asthma	870 (14%)
Skin cancer, not melanoma	790 (13%)
Osteoporosis/Osteopenia	738 (12%)
Rheumatoid arthritis	612 (10%)
Coronary artery disease	581 (10%)
Heart attack or angina	541 (9%)
Gout	428 (7%)
Multiple sclerosis	405 (7%)
Emphysema or "COPD"	393 (6%)
Atrial fibrillation	387 (6%)
Other autoimmune disease	339 (6%)
Stroke	283 (5%)
Other mental illness	252 (4%)
Congestive heart failure	246 (4%)
Other type of cancer	217 (4%)
Kidney disease	213 (4%)
Melanoma	197 (3%)
Breast cancer	170 (3%)

Education at baseline

Less than high school graduate	592 (10%)
High school graduate, equivalent	1,494 (25%)
Some college or associates degree	2,220 (37%)
Bachelor's degree	1,092 (18%)
Master's or higher professional degree	649 (11%)

Income at baseline

Under \$10,000	424 (7%)
\$10,000-29,999	1,257 (21%)
\$30,000-49,999	1,095 (18%)
\$50,000-69,999	873 (14%)
\$70,000-89,999	612 (10%)
\$90,000 or more	1,041 (17%)
Don't know, no response	754 (12%)

Body mass index (BMI) at baseline

<18.5 (underweight)	45 (1%)
18.5 - 24.9 (normal weight)	1,078 (18%)
25 - 29.9 (overweight)	2,031 (34%)
30+ (obese)	2,859 (48%)

Exercise at baseline

Little to no physical activity	2,617 (43%)
Weekend light exercise	1,090 (18%)
Moderate activity 3x per week	1,622 (27%)
Heavy activity 3x per week	417 (7%)
Heavy activity 5x per week	270 (4%)

Medications, vitamins, supplements at baseline

Median (25 th , 75 th) reported	7 (3, 11)
10+ reported, n (%)	1,907 (31%)

Top 5 reported medications

Lisinopril	1,502 (25%)
Hydrochlorothiazide	1,248 (21%)
Metformin	908 (15%)
Simvastatin	889 (15%)
Omeprazole	872 (14%)

Samples in inventory, collected at baseline

Sample	Container, Size	Participants	Aliquots	Freezers
Plasma	Cryovial, 0.5 mL	5,680	75,729	1.335
	Cryovial, 4.0 mL	0	0	0
Serum	Cryovial, 0.5 mL	5,703	50,635	0.893
	Cryovial, 4.0 mL	0	0	0
	Cryovial, 5.0 mL	4,997	5,000	0.176
Whole blood	PAXgene RNA	5,397	12,142	0.707
	Vacutainer, 2.0 mL	2,810	4,436	0.129
	Vacutainer, 3.0 mL	0	0	0
	Vacutainer, 4.0 mL	0	0	0
Buffy coat	Cryovial, 2.0 mL	3,949	3,952	0.069
Urine	Cryovial, 4.0 mL	13	13	0.000
	Cryovial, 10.0 mL	5,475	17,376	1.379
Total				4.688

MURDOCK Study participants with hypertension, N=6,055

Participant status and data from MURDOCK Study follow-up surveys and electronic health records

Participant vital status	
Alive	5,199 (86%)
Deceased	856 (14%)

Current Age	
Median (25 th , 75 th)	68 (58, 77)
Min, Max	24, 90+

Follow-up metrics, study participation	
Median (25 th , 75 th) months since enrollment	128 (106, 143)
Median (25 th , 75 th) years since enrollment	11 (9, 12)
Median (25 th , 75 th) annual follow-ups complete	6 (2, 9)
Overall completeness of follow-up, n/N (%)	32,965/49,692 (66%)
At least one (1) follow-up survey complete, n (%)	5,410 (89%)
100% completion (n, %)	2,032 (34%)
Last completed follow-up ≤ 18 months	3,210 (53%)
Enrolled in one or more other studies	2,832 (47%)

Available EHR datasets by source (any ICD code)	
Any source	2,873 (47%)
Novant Health	1,980 (33%)
Cabarrus Health Alliance	989 (16%)
Cabarrus Rowan Community Health Centers	307 (5%)
Bethesda Health Center	80 (1%)
Community Free Clinic	52 (1%)
Atrium (Carolinas Healthcare)	0

Available EHR data domains	
Diagnoses	2,873 (47%)
Labs	2,219 (37%)
Vitals	1,879 (31%)
Medications	2,180 (36%)
Allergies	1,167 (19%)
Immunizations	1,016 (17%)
Problems	1,619 (27%)
Procedures	1,136 (19%)
Hospitalizations	947 (16%)

Insights from available EHR data

Date range: July 1993 (first encounter), Jan. 2021 (last encounter)
Number of days between first and last encounter:

Median (25 th , 75 th)	1,747 (212, 2,943)
Min, Max	0, 10,034

Select phecodes, mapped from diagnosis codes

Phecode	Description	Group	n, ppts
401.1	Essential hypertension	circulatory system	1,136
272.1	Hyperlipidemia	endocrine/metabolic	817
250.2	Type 2 diabetes	endocrine/metabolic	388
530.1	Esophagitis, GERD	Digestive	320
530.11	GERD	Digestive	309
278.1	Obesity	endocrine/metabolic	287

Select laboratory tests

Test	Labs	Participants
Comprehensive metabolic panel	8,351	1,289
CBC and differential	6,147	1,150
Lipid Panel	4,546	1,009
TSH	4,125	986
Basic Metabolic Panel	4,957	965
Hemoglobin A1C	4,834	946

New medical condition diagnoses reported in follow-up

17 of 34 solicited medical conditions, listed by descending frequency

High blood pressure	1,261 / 1,411 (89%)
Osteoarthritis	860 / 4,590 (19%)
High cholesterol	804 / 2,729 (29%)
Rheumatoid arthritis	592 / 5,443 (11%)
Osteoporosis/Osteopenia	540 / 5,317 (10%)
Obesity	530 / 3,848 (14%)
Skin cancer, not melanoma	516 / 5,265 (10%)
Diabetes	514 / 4,549 (11%)
Depression	477 / 4,405 (11%)
Thyroid disease	436 / 5,158 (8%)
Atrial fibrillation	353 / 5,668 (6%)
Emphysema or "COPD"	324 / 5,662 (6%)
Coronary artery disease	322 / 5,474 (6%)
Kidney disease	315 / 5,842 (5%)
Other autoimmune disease	302 / 5,716 (5%)
Asthma	298 / 5,185 (6%)
Gout	276 / 5,627 (5%)

Procedures reported in follow up

CT or MRI scan	3,824 (63%)
Chest x-ray	3,101 (51%)
Joint x-ray	2,997 (49%)
Heart/cardiac stress test	1,870 (31%)
Joint replacement	835 (14%)
Heart/cardiac catheterization	634 (10%)
Heart/cardiac angioplasty or stent	387 (6%)
Coronary artery bypass surgery	196 (3%)

Hospitalizations reported in follow up

Participants reporting 1 or more hospitalizations	2,697 (45%)	
Unique hospitalizations reported	4,372	
Median (25 th , 75 th) hospitalizations reported	2 (1, 3)	
Coded reasons for self-reported hospitalization listed in descending frequency	Events	Participants
Uncoded	3,053	1,685
Surgery	656	508
Knee replacement	408	303
Chest Pain	201	173
Fracture	193	161

Body mass index (BMI) at most recent completed follow up

<18.5 (underweight)	61 (1%)
18.5 - 24.9 (normal weight)	1,102 (21%)
25 - 29.9 (overweight)	1,814 (34%)
30+	2,382 (44%)

Medications, vitamins, supplements at most recent follow up

Median (25 th , 75 th) reported	7 (4, 11)
10+ reported, n (%)	1,584 (26%)

Top 5 reported medications

Lisinopril	1,246 (21%)
Atorvastatin	1,000 (17%)
Amlodipine	942 (16%)
Levothyroxine	825 (14%)
Losartan	822 (14%)