

The MURDOCK Study Community Registry and Biorepository is a 12,526-participant community-based longitudinal cohort recruited from a 20-Zip Code region in the Southeastern United States (U.S.) that is centered in the city of Kannapolis, NC and encompasses Cabarrus County, NC.

Creation of the cohort was funded by a gift to Duke University from the David H. Murdock Institute for Business and Culture, with operational support from Duke's Clinical and Translational Science Award (CTSA) grant (UL1TR002553) and the Duke Clinical and Translational Science Institute (CTSI).

Managed by III Duke Clinical & Translational Science Institute

Consenting participants complete a baseline health questionnaire at enrollment, as well as a brief physical exam and collection of blood and urine. Consent includes permission to access to information from medical records, storage of collected samples in the biorepository, access to collected data and biospecimens for future approved research studies and contact regarding new research study opportunities.

Data have been organized into "storefronts" that summarize characteristics of a population of research interest as well as available data and samples for that population. The following sections summarize the sources of data in the MURDOCK Study database, as well as important descriptions and definitions to help understand the data presented in the "storefronts".

**1** Participant self-reported data at baseline. The baseline questionnaire collects contact information, current residential street address, and primary physician; alternate contact information; date and place of birth; demographics; current or past diagnosis of 34 medical conditions; menopausal status in women; medications, vitamins and supplements; dietary and physical activity assessment; hours of sleep per night; tobacco and alcohol use; second-hand smoke exposure; and selected PROMIS® participant-reported outcomes domains. Socioeconomic data collected at baseline included marital status, highest level of education of participant and participant's mother and father, employment status, mother's and father's occupations, housing (type, how paid for, number of adults and children in the household) and total household income. In addition, a brief physical exam (vital signs, height, weight, and waist circumference) was conducted at enrollment.

Medical conditions: "Do you have, or have you ever had, any of the following [medical conditions]?" (yes, no, don't know). Counts are unique participants reporting yes to specific condition. Medications: "Please list any pharmaceutical and/or natural medications (including vitamins) that you are currently taking." Data are captured in free-text format as written by the participant and coded using RxNorm. Summary metrics are based on everything reported. Top 5 reported medications are limited to reported prescriptions.

**2** Biorepository samples. Blood was collected at baseline and processed into the following specific samples: whole blood in EDTA for DNA extraction, whole blood in PAXgene for RNA extraction, plasma, serum and buffy coat in cryovials. Urine was collected and aliquoted in cryovials. Sample collection was not done systematically for MURDOCK enrollees; however, some nested sub cohorts and other studies enrolling MURDOCK registry participants include sample collection at follow up time points. All samples are stored at -80°C in a central biorepository current managed by Fisher BioServices, a division of Thermo Fisher Scientific, under a contractual agreement with Duke University.

Samples in inventory: Data are summarized by sample type as well as specific container and size. Participant counts are unique individuals with one ore more aliquots. Aliquot counts are all unique samples for a given type and container, size. Freezers is a calculation of approximate storage requirements based on sample type/size, box size, and number of boxes that can be stored per freezer.

**3** Participant self-reported changes in health via annual follow up. Participants are asked to complete a follow-up form once a year around the time of their original enrollment date. Participants may update contact information, primary care physician/practice and alternate contact. PROMIS domains are repeated at each annual time point in order to capture changes in participant-reported outcomes over time. The form collects new incidence/diagnosis of the same 34 medical conditions surveyed at baseline. Hospitalizations during the past year are collected along with reason, as well as specific medical procedures. Participants may update their medication list to reflect current medications, vitamins and supplements being taken at the time of follow up form completion.

Vital status: Death reported by family member or alternate contact is confirmed by obituary as the primary source. Cause of death is not captured. Follow-up metrics: Follow-up is defined as complete if participant fills out the survey online or by mail or phone. Completeness is measured as surveys completed relative to years eligible to complete follow-up. Medical conditions: "Please indicate if you have received a new diagnosis of any of the following medical conditions in the past year (yes, no, don't know)". Counts and percentages are unique participants reporting yes to specific condition in follow-up for participants that did NOT report yes at baseline. Procedures: "Please indicate if you have any of the following medical procedures in the past year". Counts are unique participants reporting the specified procedure one or more times during follow up. Hospitalizations: Participants are asked to report if they have been hospitalized within the last year, for each hospitalization they are asked to list reason(s) for hospitalization, admission date and hospital name. Reasons for hospitalization. Medications: (see note above for medications reported at baseline). The denominator for data based on last follow-up are participants with at least one follow-up survey complete.

**4** Electronic health record (EHR) data from regional healthcare providers. Duke has partnered with regional healthcare providers to integrate data from EHR systems for consented MURDOCK Study participants. Participants are identified in EHR systems with robust matching algorithms using common identifiers from the MURDOCK and EHR databases. Data are transferred under a data use agreement (DUA) with the specific provider organization which specifies the scope of data and frequency of transfers. Data availability vary by participant and depend on whether or not a participant has had one or more encounters with the healthcare provider system during the time period included in the dataset.

Available EHR datasets: Data are summarized by healthcare provider organizations. Counts are unique participants with one or more ICD codes in the EHR dataset. Available EHR domains: Data area summarized by domain in the EHR dataset. Counts are unique participants with one of more records (rows of data) for the specified domain. Insights from available EHR data: Specific EHR data related to the population of research interest is presented with granularity when possible.

5 Additional data collection from studies with MURDOCK participants. MURDOCK Study participants may be recruited to enroll in additional research study opportunities by Duke researchers or other collaborators. Data sharing is a condition of collaboration with with the MURDOCK Study; therefore, data collected from MURDOCK Study participants and/or generated from biospecimens as part of additional research studies is returned for integration with all other MURDOCK registry data.

"Storefronts" for nested sub-cohorts summarize surveys, assessments and/or other data collected specifically as part of enrollment and participation in the study. **Samples in inventory**: Samples are summarized if collected (see note above for samples collected at baseline). **Participation in other studies**: Counts are participants from the population of research interest enrolled in the specified study listed. *Brief descriptions of relevant studies are listed along with a summary of study procedures and/or data collected*.



Kidney disease

Other type of cancer

### Page 2

#### Participants 50 to 59 years of age at baseline, N=2,723

# Participant self-reported characteristics at MURDOCK Study enrollment (baseline, [February 2009 - March 2018])

| Demographics at baseline   |                                       |
|--|---------------------------------------|
| Age  | Baseline                              |
| Median (25 <sup>th</sup> , 75 <sup>th</sup> )                                      | 55 (52, 57)                           |
| Min, Max   | 50, 59                                |
| Sex  | 00,00                                 |
| Female   | 1,851 (68%)                           |
| Male   | 872 (32%)                             |
| Race   | ()                                    |
| American Indian & Alaska Native  | 12 (<1%)                              |
| Asian  | 13 (<1%)                              |
| Black or African American  | 435 (16%)                             |
| Native Hawaiian & Other Pacific Islande  | . ,                                   |
| White/Caucasian  | 2,025 (74%)                           |
| Other  | 155 (6%)                              |
| Multiple   | 57 (2%)                               |
| Don't know/Not sure/Not answered   | 25 (<1%)                              |
| Ethnicity  | ,                                     |
| Hispanic or Latino   | 219 (8%)                              |
| Non-Hispanic or Latino   | 2,465 (91%)                           |
| Don't know/Not sure/Not answered   | 39 (1%)                               |
| Smaking biotomy at basaling  | , , , , , , , , , , , , , , , , , , , |
| Smoking history at baseline  | 4 000 (45%)                           |
| Smoked   | 1,226 (45%)                           |
|  | 1,475 (54%)                           |
| Don't know, no response  | 22 (1%)                               |
| Current or prior medical conditions r<br>Select medical conditions (25 of 34), lis |                                       |
|  |                                       |
| High cholesterol   | 1,204 (44%)                           |
| High blood pressure  | 1,139 (42%)                           |
| Obesity  | 861 (32%)                             |
| Depression<br>Osteoarthritis   | 852 (31%)                             |
| Diabetes   | 551 (20%)                             |
| Asthma   | 506 (19%)                             |
|  | 402 (15%)                             |
| Thyroid disease  | 368 (14%)                             |
| Osteoporosis/Osteopenia<br>Multiple sclerosis                                      | 309 (11%)                             |
| Rheumatoid arthritis   | 296 (11%)                             |
|  | 242 (9%)                              |
| Skin cancer, not melanoma<br>Other autoimmune disease                              | 233 (9%)                              |
|  | 191 (7%)                              |
| Emphysema or "COPD"  | 151 (6%)                              |
| Heart attack or angina   | 139 (5%)                              |
| Other mental illness   | 121 (4%)                              |
| Coronary artery disease<br>Gout  | 117 (4%)                              |
| Atrial fibrillation  | 115 (4%)                              |
|  | 88 (3%)                               |
| Breast cancer  | 77 (3%)                               |
| Stroke   | 77 (3%)                               |
| Liver disease  | 76 (3%)                               |
| Congestive heart failure   | 70 (3%)                               |

| uy emonnem                     | (Dasenne, [Februa             | i y 2009 - Iviai | CII 2010]) |             |  |
|--------------------------------|-------------------------------|------------------|------------|-------------|--|
| Education at                   | baseline                      |                  |            |             |  |
| Less than high                 | school graduate               |                  | 194 (7%)   |             |  |
| High school gr                 | h school graduate, equivalent |                  |            | 566 (21%)   |  |
| Some college                   | or associates degre           | e                |            | 997 (37%)   |  |
| Bachelor's deg                 | gree                          |                  |            | 572 (21%)   |  |
| Master's or hig                | her professional de           | gree             |            | 394 (14%)   |  |
| Income at bas                  | seline                        |                  |            |             |  |
| Under \$10,000                 | )                             |                  |            | 214 (8%)    |  |
| \$10,000-29,99                 | 9                             |                  | 418 (15%)  |             |  |
| \$30,000-49,99                 | 9                             |                  | 382 (14%)  |             |  |
| \$50,000-69,99                 | 9                             |                  | 367 (13%)  |             |  |
| \$70,000-89,99                 | 9                             |                  |            | 294 (11%)   |  |
| \$90,000 or mo                 | re                            |                  |            | 760 (28%)   |  |
| Don't know, no                 | response                      |                  |            | 288 (11%)   |  |
| Body mass in                   | idex (BMI) at baseli          | ine              |            |             |  |
| <18.5 (underw                  | eight)                        |                  |            | 22 (<1%)    |  |
| 18.5 - 24.9 (nc                | ormal weight)                 |                  |            | 688 (25%)   |  |
| 25 - 29.9 (over                | 25 - 29.9 (overweight)        |                  |            | 912 (34%)   |  |
| 30+ (obese)                    |                               |                  |            | 1,086 (40%) |  |
| Exercise at ba                 | aseline                       |                  |            |             |  |
| Little to no physical activity |                               | 1,001 (37%)      |            |             |  |
| Weekend light                  | exercise                      |                  |            | 587 (22%)   |  |
| Moderate activ                 | vity 3x per week              |                  |            | 742 (27%)   |  |
| Heavy activity                 | 3x per week                   |                  |            | 233 (9%)    |  |
| Heavy activity                 | at least 5x per week          | (                |            | 149 (5%)    |  |
| Medications,                   | vitamins, supplem             | ents at baseli   | ne         |             |  |
| Median (25th, 7                | 75 <sup>th</sup> ) reported   |                  |            | 5 (3, 9)    |  |
| 10+ reported,                  | n (%)                         |                  |            | 583 (21%)   |  |
| Top 5 reporte                  | d medications                 |                  |            |             |  |
| Lisinopril                     |                               | 453 (17%)        |            |             |  |
| levothyroxine                  |                               |                  |            | 324 (12%)   |  |
| Metformin                      |                               | 318 (12%)        |            |             |  |
| Hydrochlorothiazide            |                               |                  | 313 (11%)  |             |  |
| Omeprazole                     |                               |                  |            | 268 (10%)   |  |
| Samples curr                   | ently in inventory (          | collected at k   | oaseline t | ime point)  |  |
| Sample                         | Container, Size               | Participants     |            |             |  |
| Plasma                         | Cryovial, 0.5 mL              | 2,562            | 34,322     | 0.605       |  |
| Serum                          | Cryovial, 0.5 mL              | 2,562            | 22,648     | 0.399       |  |
|                                | Cryovial, 5.0 mL              | 2,145            | 2,145      | 0.076       |  |
| Whole blood                    | PAXgene RNA                   | 2,452            | 5,555      | 0.324       |  |
|                                | Vacutainer, 2.0 mL            |                  | 2,065      | 0.060       |  |
| Buffy coat                     | Cryovial, 2.0 mL              | 1,853            | 1,853      | 0.033       |  |
| L Inter e                      |                               | •                |            |             |  |

Total

Cryovial, 0.5 mL

Cryovial, 10.0 mL

6

2,414

6

2,414

71,008

0.000

0.192

1.689

Urine

70 (3%)

69 (3%)



## Participants 50 to 59 years of age at baseline, N=2,723

## Participant status and data from MURDOCK Study follow-up surveys and electronic health records

|   | Participant statu                                    | s and data                                 |                        | JRD                      | OCK Stu   |
|---|--|--|------------------------|--------------------------|-----------|
| Participant   | t vital status                                       |  |                        |                          |           |
| Alive   | •  |  | 2,541 (93%)            |                          |           |
| Deceased  | eceased  |  | 182 (7%)               |                          | 182 (7%)  |
| Current Ag  | ge   |  |                        |                          |           |
| Median (25  | edian (25 <sup>th</sup> , 75 <sup>th</sup> )         |  |                        | 65                       | (63, 68)  |
| Min, Max  |  |  |                        |                          | 55, 73    |
| Follow-up   | metrics, study participati                           | ion  |                        |                          |           |
| -   | <sup>th</sup> , 75 <sup>th</sup> ) months since enro |  | 136 (112, 15           |                          |           |
| •   | th, 75th) years since enrolln                        |  |                        | 1 (9, 12)                |           |
|   | th, 75th) yearly follow-ups c                        |  | 6 (2, 1                |                          |           |
|   | npleteness of follow-up, n/l                         |  | 15,696/24,260 (65%     |                          |           |
|   | e (1) follow-up survey com                           | · · /                                      | 2,413 (89%)            |                          |           |
|   | pletion (n, %)                                       | 51010, 11 (70)                             | 854 (31%)              |                          |           |
|   | eted follow-up $\leq$ 18 months                      |  | 1,497 (55%)            |                          |           |
|   | one or more other studies                            | •  |                        |                          | 33 (49%)  |
|   |  |  |                        | 1,50                     | 55 (4976) |
|   | EHR datasets by source (                             | any ICD c                                  | ode)                   | 1 2                      | 77 (170/) |
| Any source  |  |  | 1,277 (47%)            |                          |           |
| Novant Hea  |  |  |                        |                          | 09 (33%)  |
|   | lealth Alliance                                      |  |                        |                          | 13 (15%)  |
|   | Rowan Community Health C                             | enters                                     |                        |                          | 136 (5%)  |
|   | lealth Center  |  |                        |                          | 35 (1%)   |
| Community Free Clinic                                 |  |  |                        | 24 (1%)                  |           |
|   | rolinas Healthcare)                                  |  |                        |                          | 0         |
|   | EHR data domains                                     |  |                        | 4.0                      | 77 (470/) |
| Diagnoses<br>Labs                                     |  |  | 1,277 (47%)            |                          |           |
| Vitals  |  |  | 999 (37%)<br>881 (32%) |                          |           |
| Medication  | s  |  | 1,009 (37%)            |                          |           |
| Allergies   |  | 482 (18%)                                  |                        |                          |           |
| Immunizations   |  | 454 (17%                                   |                        | 54 (17%)                 |           |
| Problems  |  | 720 (26%)                                  |                        |                          |           |
| Procedures  |  |  | 573 (21%)              |                          |           |
| Hospitalizations Insights from available EHR data     |  |  | 4.                     | 36 (16%)                 |           |
| •   | : Jul. 1993 (first encounter                         | ) lan 202                                  | 1 (last on             | cour                     | nter)     |
| -   | days between first and las                           |  |                        | coui                     |           |
| Median (25 <sup>th</sup> , 75 <sup>th</sup> )         |  | 1,865 (277.5, 3135)                        |                        |                          |           |
| Min, Max  |  |  |                        |                          | 0, 10563  |
|   | codes, mapped from dia                               | -  | des                    |                          |           |
| Phecode   | Description  | Group                                      |                        |                          | n, ppts   |
| 401.1<br>272.1  | Essential hypertension<br>Hyperlipidemia             | circulatory system                         |                        | 321<br>315               |           |
| 272.1   | Type 2 diabetes                                      | endocrine/metabolic<br>endocrine/metabolic |                        | 133                      |           |
| 261.4   | Vitamin D deficiency                                 |  |                        | 123                      |           |
| 278.1   | Obesity  | endocrine/metabolic 123                    |                        |                          |           |
| 530.1   | Esophagitis, GERD and                                | Digestive                                  |                        |                          | 116       |
|   | related diseases                                     | Digestive                                  |                        |                          | 110       |
|   | oratory tests  |  |                        | _                        |           |
| Test Comprehensive metabolic panel                    |  | <i>Labs</i><br>4,123                       | Pa                     | <i>rticipants</i><br>614 |           |
| Comprehensive metabolic panel<br>CBC and differential |  | 3,337                                      |                        | 558                      |           |
| TSH   |  | 1,993                                      |                        | 467                      |           |
| Lipid panel   |  | 1,947                                      |                        |                          |           |
| Hemoglobin A1c  |  | 2,011                                      |                        |                          |           |
| Basic metabolic panel                                 |  | 1,680                                      |                        | 387                      |           |
| CBC   |  |  | 1,638                  |                          | 360       |
|   |  |  |                        |                          |           |

| Page 3 |
|--------|
|--------|

| <b>New medical condition diagnoses reported in follow-up</b><br>17 of 34 solicited medical conditions, listed by descending frequency |  |                   |  |
|---|--|-------------------|--|
| High cholesterol  |  | 399 / 1,519 (26%) |  |
| Osteoarthritis  |  | 397 / 2,172 (18%) |  |
| High blood pressure   |  | 315 / 1,584 (20%) |  |
| Osteoporosis/Osteopenia   |  | 311 / 2,414 (13%) |  |

| High blood pressure   | 315 / 1,584 (20%)   |  |
|---|---------------------|--|
| Osteoporosis/Osteopenia                                     | 311 / 2,414 (13%)   |  |
| Rheumatoid arthritis  | 210 / 2,481 (8%)    |  |
| Obesity   | 210 / 1,862 (11%)   |  |
| Skin cancer, not melanoma                                   | 200 / 2,490 (8%)    |  |
| Diabetes  | 191 / 2,217 (9%)    |  |
| Depression  | 191 / 1,871 (10%)   |  |
| Thyroid disease   | 159 / 2,355 (7%)    |  |
| Other autoimmune disease                                    | 139 / 2,532 (5%)    |  |
| Coronary artery disease                                     | 104 / 2,606 (4%)    |  |
| Emphysema or "COPD"   | 104 / 2,572 (4%)    |  |
| Asthma  | 104 / 2,321 (4%)    |  |
| Gout  | 97 / 2,608 (4%)     |  |
| Atrial fibrillation   | 88 / 2,635 (3%)     |  |
| Other mental illness  | 86 / 2,602 (3%)     |  |
| Procedures reported in follow up                            |                     |  |
| CT or MRI scan  | 1,618 (59%)         |  |
| Joint x-ray   | 1,287 (47%)         |  |
| Chest x-ray   | 1,139 (42%)         |  |
| Heart/cardiac stress test                                   | 664 (24%)           |  |
| Joint replacement   | 292 (11%)           |  |
| Heart/cardiac catheterization                               | 204 (7%)            |  |
| Heart/cardiac angioplasty or stent                          | 95 (3%)             |  |
| Coronary artery bypass surgery 60 (2%)                      |                     |  |
| Hospitalizations reported in follow up                      |                     |  |
| Participants reporting 1 or more hospitalizations 990 (36%) |                     |  |
| Unique hospitalizations reported                            | 1,482               |  |
| Median (25th, 75th) hospitalizations reported               | 1 (1, 3)            |  |
| Coded reasons for self-reported hospitalization             | tion                |  |
| listed in descending frequency                              | Events Participants |  |
| Uncoded   | 1,070 602           |  |
| Surgery   | 289 223             |  |
| Knee replacement  | 125 88              |  |
| Chest pain  | 85 68               |  |
| Hip replacement   | 71 52               |  |
| Body mass index (BMI) at most recent co                     |                     |  |
| <18.5 (underweight)   | 24 (1%)             |  |
| 18.5 - 24.9 (normal weight)                                 | 624 (26%)           |  |
| 25 - 29.9 (overweight)                                      | 827 (34%)           |  |
| 30+ 932 (39%  |                     |  |
| Medications, vitamins, supplements at m                     |                     |  |
| Median (25 <sup>th</sup> , 75 <sup>th</sup> ) reported      | 6 (3, 9)            |  |
| 10+ reported, n (%)   | 546 (20%)           |  |
| Top 5 reported medications                                  |                     |  |
| Lisinopril  | 397 (15%)           |  |
| Atorvastatin  | 379 (14%)           |  |
| Cholecalciferol 357 (1                                      |                     |  |
| evothyroxine 344 (13  |                     |  |
| Metformin   | 316 (12%)           |  |